



Flexlean
meble metalowe



Apparatus Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 85 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Plain, Threadguards: Zinc plated steel



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
20 344a39E050rZLC	50	20	68	24	40	10,5						40
30 344a39E075rZLC	75	25	98	28	48	10,5						60

Apparatus Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 85 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Plain, Threadguards: Zinc plated steel



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
50 344h39E050rZLC	50	20	68	22	40	10,5						40
60 344h39E075rZLC	75	25	98	32	48	10,5						60

Apparatus Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 85 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polypropylene



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
80 344a39J100rZLC	100	27	132	37	54	10,5						80

Apparatus Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 85 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polypropylene



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
100 344h39J100rZLC	100	27	132	35	54	10,5						80

Apparatus Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Threaded stem
Tread material: Thermoplastic rubber 85 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Plain, Threadguards: Zinc plated steel



120 344a39E075rZGC40

											
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
75	25	98	28	48	10,5	M10x25					60

Apparatus Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Threaded stem
Tread material: Thermoplastic rubber 85 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Plain, Threadguards: Zinc plated steel



140 344h39E075rZGC40

											
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
75	25	98	32	48	10,5	M10x25					60

Apparatus Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Threaded stem
Tread material: Thermoplastic rubber 85 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polypropylene



160 344a39J100rZGC40

											
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
100	27	132	37	54	10,5	M10x25					80

Apparatus Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Threaded stem
Tread material: Thermoplastic rubber 85 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polypropylene



180 344h39J100rZGC40

											
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
100	27	132	35	54	10,5	M10x25					80

Apparatus Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 85 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polypropylene



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
200 377a39J080rZLD	80	32	113	32	61	12,5						80
210 377a39J100rZLD	100	32	135	38	61	12,5						100
220 377a39J125rZLD	125	32	160	41	61	12,5						100

Apparatus Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 85 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polypropylene



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg	
240 377h39J080rZLD	80	32	113	38	61	12,5					80	
250 377h39J100rZLD	100	32	135	44	61	12,5					100	
260 377h39J125rZLD	125	32	160	41	61	12,5					100	

Apparatus Castors For Construction Profiles

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Top plate
Tread material: Thermoplastic rubber 85 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polypropylene



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg	
280 377a39J080rZPit2	80	32	121	32				120x40	80	8,5	80	
290 377a39J100rZPit2	100	32	143	38				120x40	80	8,5	100	
300 377a39J125rZPit2	125	32	168	41				120x40	80	8,5	100	

Apparatus Castors For Construction Profiles

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Top plate
Tread material: Thermoplastic rubber 85 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polypropylene



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg	
320 377h39J080rZPit2	80	32	121	38				120x40	80	8,5	80	
330 377h39J100rZPit2	100	32	143	44				120x40	80	8,5	100	
340 377h39J125rZPit2	125	32	168	41				120x40	80	8,5	100	

Apparatus Castors

Castor construction: Swivel
Housing material: Polyamide
Swivel head construction: Radial ball bearing
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 85 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polypropylene



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
360 638a29J075rKLC	75	25	100	30	44	11						75
370 608a29J100rKLC	100	32	137	38	54	11						100
380 608a29J125rKLC	125	32	162	40	54	11						110

Apparatus Castors

Castor construction: Swivel with total lock
Housing material: Polyamide
Swivel head construction: Radial ball bearing
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 85 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polypropylene



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
400 638h29J075rKLC	75	25	100	30	44	11						75
410 608h29J100rKLC	100	32	137	38	54	11						100
420 608h29J125rKLC	125	32	162	40	54	11						110

Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Type of fixing: Top plate
Tread material: Thermoplastic rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polyamide



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg	
440 424a06J080rZPH	80	32	105	40				105x85	82x62/78x58	9	100	
450 424a06J100rZPH	100	32	128	40				105x85	82x62/78x58	9	120	
460 424a06J125rZPH	125	32	156	40				105x85	82x62/78x58	9	150	
470 424a06J160rZPK	160	40	195	51				135x110	110x85/100x75	11	220	
480 424a06J200rZPK	200	40	235	51				135x110	110x85/100x75	11	240	

Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Type of fixing: Top plate
Tread material: Thermoplastic rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polyamide



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
500	424h06J080rZPH	80	32	105	40				105x85	82x62/78x58	9	100
510	424h06J100rZPH	100	32	128	40				105x85	82x62/78x58	9	120
520	424h06J125rZPH	125	32	156	40				105x85	82x62/78x58	9	150
530	424h06J160rZPK	160	40	195	51				135x110	110x85/100x75	11	220
540	424h06J200rZPK	200	40	235	51				135x110	110x85/100x75	11	240

Industrial Castors

Castor construction: Fixed
Housing material: Zinc plated steel
Type of fixing: Top plate
Tread material: Thermoplastic rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polyamide



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
560	423a06J080rZPG	80	32	105					105x85	82x62/78x58	9	100
570	423a06J100rZPG	100	32	128					105x85	82x62/78x58	9	120
580	423a06J125rZPG	125	32	156					105x85	82x62/78x58	9	150
590	423a06J160rZPK	160	40	195					137x110	110x85/100x75	11	220
600	423a06J200rZPK	200	40	235					137x110	110x85/100x75	11	240

Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polyamide



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
620 424a06J080rZLD	80	32	105	40	76	12,3						100
630 424a06J100rZLD	100	32	128	40	76	12,3						120
640 424a06J125rZLD	125	32	156	40	76	12,3						150

Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polyamide



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
660 424h06J080rZLD	80	32	105	40	76	12,3						100
670 424h06J100rZLD	100	32	128	40	76	12,3						120
680 424h06J125rZLD	125	32	156	40	76	12,3						150

Industrial Castors With Central Locking

Castor construction: Swivel with total lock, Central operating
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Tread material: Thermoplastic rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polyamide



690 424j.06Jr.ZP

															
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg	CZK
700 424j06J080rZPH	80	32	118	40	110x90	80x60	9	SW11	40°	100					
710 424j06J100rZPH	100	32	141	40	110x90	80x60	9	SW11	40°	120					
720 424j06J125rZPH	125	32	169	40	110x90	80x60	9	SW11	40°	150					

Industrial Castors With Central Locking

Castor construction: Swivel with total lock, Central operating
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Tread material: Thermoplastic rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polyamide



																		
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg	CZK
740 424q06J080rZPH	80	32	105	40	105x85	82x62/78x58	9	44x50	28,3	SW11	50°/50°	100						
750 424q06J100rZPH	100	32	128	40	105x85	82x62/78x58	9	44x50	28,3	SW11	50°/50°	120						
760 424q06J125rZPH	125	32	156	40	105x85	82x62/78x58	9	44x50	28,3	SW11	50°/50°	150						

Industrial Self-Aligning Castors

Castor construction: Swivel, Self-alignment
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Type of fixing: Top plate
Tread material: Thermoplastic rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polyamide



											
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
780 424d06J080rZPH	80	32	105	40				105x85	82x62/78x58	9	100
790 424d06J100rZPH	100	32	128	40				105x85	82x62/78x58	9	120
800 424d06J125rZPH	125	32	156	40				105x85	82x62/78x58	9	150

Industrial Self-Aligning Castors

Castor construction: Swivel with total lock, Self-alignment
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Type of fixing: Top plate
Tread material: Thermoplastic rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polyamide



											
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
820 424x06J080rZPH	80	32	105	40				105x85	82x62/78x58	9	100
830 424x06J100rZPH	100	32	128	40				105x85	82x62/78x58	9	120
840 424x06J125rZPH	125	32	156	40				105x85	82x62/78x58	9	150

Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Type of fixing: Top plate
Tread material: Elastic Rubber 55 ShA, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Single ball bearing, Threadguards: Polyamide



											
860 424a11J100gZPH	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	100	36	128	40					105x85	82x62/78x58	150
870 424a11J125gZPH	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	125	36	156	40					105x85	82x62/78x58	170

Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Type of fixing: Top plate
Tread material: Elastic Rubber 55 ShA, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Single ball bearing, Threadguards: Polyamide



											
890 424h11J100gZPH	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	100	36	128	40					105x85	82x62/78x58	150
900 424h11J125gZPH	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	125	36	156	40					105x85	82x62/78x58	170

Industrial Castors

Castor construction: Fixed
Housing material: Zinc plated steel
Type of fixing: Top plate
Tread material: Elastic Rubber 55 ShA, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Single ball bearing, Threadguards: Polyamide



											
920 423a11J100gZPG	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	100	36	128						105x85	82x62/78x58	150
930 423a11J125gZPG	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	125	36	156						105x85	82x62/78x58	170

Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Elastic Rubber 55 ShA, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Single ball bearing, Threadguards: Polyamide



											
950 424a11J100gZLD	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	100	36	128	40	76	12,3					150
960 424a11J125gZLD	mm	mm	mm	mm	mm	mm					kg
	125	36	156	40	76	12,3					170

Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Elastic Rubber 55 ShA, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Single ball bearing, Threadguards: Polyamide



											
980 424h11J100gZLD	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	100	36	128	40	76	12,3					150
990 424h11J125gZLD	mm	mm	mm	mm	mm	mm					kg
	125	36	156	40	76	12,3					170

Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Tread material: Elastic Rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Ball bearing



											
1010 424a14J080gZPH	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	80	34	105	40				105x85	82x62/78x58	9	150
1020 424a14J100gZPH	100	36	128	40				105x85	82x62/78x58	9	200
1030 424a14J125gZPH	125	36	156	40				105x85	82x62/78x58	9	200

Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Tread material: Elastic Rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Ball bearing



											
1050 424h14J080gZPH	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	80	34	105	40				105x85	82x62/78x58	9	150
1060 424h14J100gZPH	100	36	128	40				105x85	82x62/78x58	9	200
1070 424h14J125gZPH	125	36	156	40				105x85	82x62/78x58	9	200

Industrial Castors

Castor construction: Fixed
Housing material: Zinc plated steel
Tread material: Elastic Rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Ball bearing



											
1090 423a14J080gZPG	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	80	34	105					105x85	82x62/78x58	9	150
1100 423a14J100gZPG	100	36	128					105x85	82x62/78x58	9	200
1110 423a14J125gZPG	125	36	156					105x85	82x62/78x58	9	200

Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Tread material: Elastic Rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Ball bearing



											
1130 424a14J080gZLD	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	80	34	105	40	76	12,3					150
1140 424a14J100gZLD	100	36	128	40	76	12,3					200
1150 424a14J125gZLD	125	36	156	40	76	12,3					200

Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Tread material: Elastic Rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Ball bearing



											
1170 424h14J080gZLD	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	80	34	105	40	76	12,3					150
1180 424h14J100gZLD	100	36	128	40	76	12,3					200
1190 424h14J125gZLD	125	36	156	40	76	12,3					200

Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Tread material: Elastic Rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Aluminium alloy, Bearing: Ball bearing



											
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
1210 434a13K100gZPH	100	40	130	40					105x86	82/77x60	200
1220 434a13K125gZPH	125	40	156	43					105x86	82/77x60	250
1230 434a13K125gZPK	125	50	165	43					135x110	105x80/75	300
1240 434a13K160gZPK	160	50	195	53					135x110	105x80/75	400
1250 434a13K200gZPK	200	50	238	53					135x110	105x80/75	500

Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Tread material: Elastic Rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Aluminium alloy, Bearing: Ball bearing



											
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
1270 434h13K100gZPH	100	40	130	40					105x86	82/77x60	200
1280 434h13K125gZPH	125	40	156	43					105x86	82/77x60	250
1290 434h13K125gZPK	125	50	165	43					135x110	105x80/75	300
1300 434h13K160gZPK	160	50	195	53					135x110	105x80/75	400
1310 434h13K200gZPK	200	50	238	53					135x110	105x80/75	500

Industrial Castors

Castor construction: Fixed
Housing material: Zinc plated steel
Tread material: Elastic Rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Aluminium alloy, Bearing: Ball bearing



											
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
1330 433a13K100gZPG	100	40	130						105x86	82/77x60	200
1340 433a13K125gZPG	125	40	156						105x86	82/77x60	250
1350 433a13K125gZPK	125	50	165						135x114	105x80/75	300
1360 433a13K160gZPK	160	50	195						135x114	105x80/75	400
1370 433a13K200gZPK	200	50	238						135x114	105x80/75	500

Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Tread material: Elastic Rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Aluminium alloy, Bearing: Ball bearing



											
1390 434a13K100gZLD	mm 100	mm 40	mm 126	mm 40	mm 79	mm 12,3	mm	mm	mm	mm	kg 200
1400 434a13K125gZLD	mm 125	mm 40	mm 152	mm 43	mm 79	mm 12,3					kg 250

Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Tread material: Elastic Rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Aluminium alloy, Bearing: Ball bearing



											
1420 434h13K100gZLD	mm 100	mm 40	mm 126	mm 40	mm 79	mm 12,3	mm	mm	mm	mm	kg 200
1430 434h13K125gZLD	mm 125	mm 40	mm 152	mm 43	mm 79	mm 12,3					kg 250

Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Tread material: Thermoplastic polyurethane 95 ShA, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Single ball bearing, Threadguards: Polyamide



											
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
1450 424a04J080vZPH	80	32	105	40					105x85	82x62/78x58	150
1460 424a04J100vZPH	100	36	128	40					105x85	82x62/78x58	200
1470 424a04J125vZPH	125	37	156	40					105x85	82x62/78x58	200

Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Tread material: Thermoplastic polyurethane 95 ShA, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Single ball bearing, Threadguards: Polyamide



											
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
1490 424h04J080vZPH	80	32	105	40					105x85	82x62/78x58	150
1500 424h04J100vZPH	100	36	128	40					105x85	82x62/78x58	200
1510 424h04J125vZPH	125	37	156	40					105x85	82x62/78x58	200

Industrial Castors

Castor construction: Fixed
Housing material: Zinc plated steel
Tread material: Thermoplastic polyurethane 95 ShA, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Single ball bearing, Threadguards: Polyamide



											
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
1530 423a04J080vZPG	80	32	105						105x85	82x62/78x58	150
1540 423a04J100vZPG	100	36	128						105x85	82x62/78x58	200
1550 423a04J125vZPG	125	37	156						105x85	82x62/78x58	200

Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Tread material: Thermoplastic polyurethane 95 ShA, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Single ball bearing, Threadguards: Polyamide



											
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
1570 424a04J080vZLD	80	32	105	40	76	12,3					150
1580 424a04J100vZLD	100	36	128	40	76	12,3					200
1590 424a04J125vZLD	125	37	156	40	76	12,3					200

Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Tread material: Thermoplastic polyurethane 95 ShA, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Single ball bearing, Threadguards: Polyamide



											
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
1610 424h04J080vZLD	80	32	105	40	76	12,3					150
1620 424h04J100vZLD	100	36	128	40	76	12,3					200
1630 424h04J125vZLD	125	37	156	40	76	12,3					200

Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Tread material: Polyurethane 93 ShA, Non-marking tread: yes
Wheel centre material: Aluminium alloy, Bearing: Ball bearing



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
1650 434a16K080vZPH	80	30	111	40					105x86	82/77x60	9	200
1660 434a16K100vZPH	100	38	130	40					105x86	82/77x60	9	250
1670 434a16K125vZPH	125	38	156	43					105x86	82/77x60	9	350
1680 434a16K125vZPK	125	50	165	43					135x110	105x80/75	11	450
1690 434a16K160vZPK	160	50	195	53					135x110	105x80/75	11	500
1700 434a16K200vZPK	200	50	238	53					135x110	105x80/75	11	500

Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Tread material: Polyurethane 93 ShA, Non-marking tread: yes
Wheel centre material: Aluminium alloy, Bearing: Ball bearing



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
1720 434h16K080vZPH	80	30	111	40					105x86	82/77x60	9	200
1730 434h16K100vZPH	100	38	130	40					105x86	82/77x60	9	250
1740 434h16K125vZPH	125	38	156	43					105x86	82/77x60	9	350
1750 434h16K125vZPK	125	50	165	43					135x110	105x80/75	11	450
1760 434h16K160vZPK	160	50	195	53					135x110	105x80/75	11	500
1770 434h16K200vZPK	200	50	238	53					135x110	105x80/75	11	500

Industrial Castors

Castor construction: Fixed
Housing material: Zinc plated steel
Tread material: Polyurethane 93 ShA, Non-marking tread: yes
Wheel centre material: Aluminium alloy, Bearing: Ball bearing



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
1790 433a16K080vZPG	80	30	111						105x86	82/77x60	9	200
1800 433a16K100vZPG	100	38	130						105x86	82/77x60	9	250
1810 433a16K125vZPG	125	38	156						105x86	82/77x60	9	350
1820 433a16K125vZPK	125	50	165						135x114	105x80/75	11	450
1830 433a16K160vZPK	160	50	195						135x114	105x80/75	11	500
1840 433a16K200vZPK	200	50	238						135x114	105x80/75	11	500

Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Tread material: Polyurethane 93 ShA, Non-marking tread: yes
Wheel centre material: Aluminium alloy, Bearing: Ball bearing



												
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
1860	434a16K080vZLD	80	30	106	40	79	12,3					200
1870	434a16K100vZLD	100	38	126	40	79	12,3					250
1880	434a16K125vZLD	125	38	152	43	79	12,3					350

Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Tread material: Polyurethane 93 ShA, Non-marking tread: yes
Wheel centre material: Aluminium alloy, Bearing: Ball bearing



												
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
1900	434h16K080vZLD	80	30	106	40	79	12,3					200
1910	434h16K100vZLD	100	38	126	40	79	12,3					250
1920	434h16K125vZLD	125	38	152	43	79	12,3					350

Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Type of fixing: Top plate
Tread material: Polyamide 70 ShD, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Single ball bearing, Threadguards: Polyamide



1940	424a00J080pZPH	80	32	105	40	105x85	82x62/78x58	9	200
1950	424a00J100pZPH	100	36	128	40	105x85	82x62/78x58	9	200
1960	424a00J125pZPH	125	37	156	40	105x85	82x62/78x58	9	200

Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Type of fixing: Top plate
Tread material: Polyamide 70 ShD, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Single ball bearing, Threadguards: Polyamide



1980	424h00J080pZPH	80	32	105	40	105x85	82x62/78x58	9	200
1990	424h00J100pZPH	100	36	128	40	105x85	82x62/78x58	9	200
2000	424h00J125pZPH	125	37	156	40	105x85	82x62/78x58	9	200

Industrial Castors

Castor construction: Fixed
Housing material: Zinc plated steel
Type of fixing: Top plate
Tread material: Polyamide 70 ShD, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Single ball bearing, Threadguards: Polyamide



2020	423a00J080pZPG	80	32	105		105x85	82x62/78x58	9	200
2030	423a00J100pZPG	100	36	128		105x85	82x62/78x58	9	200
2040	423a00J125pZPG	125	37	156		105x85	82x62/78x58	9	200

Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Polyamide 70 ShD, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Single ball bearing, Threadguards: Polyamide



2060	424a00J080pZLD	80	32	105	40	76	12,3	200
2070	424a00J100pZLD	100	36	128	40	76	12,3	200
2080	424a00J125pZLD	125	37	156	40	76	12,3	200

Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Polyamide 70 ShD, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Single ball bearing, Threadguards: Polyamide



2100	424h00J080pZLD	80	32	105	40	76	12,3	200
2110	424h00J100pZLD	100	36	128	40	76	12,3	200
2120	424h00J125pZLD	125	37	156	40	76	12,3	200

Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Tread material: Polyamide 70 ShD, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Ball bearing



2140	434a0SK080pZPH	80	30	111	40	105x86	82/77x60	9	300
2150	434a0SK100pZPH	100	35	130	40	105x86	82/77x60	9	400
2160	434a0SK125pZPH	125	35	156	43	105x86	82/77x60	9	400
2170	434a0SK125pZPK	125	50	165	43	135x110	105x80/75	11	500
2180	434a0SK160pZPK	160	50	195	53	135x110	105x80/75	11	500
2190	434a0SK200pZPK	200	50	238	53	135x110	105x80/75	11	500

Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway, dustguard
Tread material: Polyamide 70 ShD, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Ball bearing



2210	434h0SK080pZPH	80	30	111	40	105x86	82/77x60	9	300
2220	434h0SK100pZPH	100	35	130	40	105x86	82/77x60	9	400
2230	434h0SK125pZPH	125	35	156	43	105x86	82/77x60	9	400
2240	434h0SK125pZPK	125	50	165	43	135x110	105x80/75	11	500
2250	434h0SK160pZPK	160	50	195	53	135x110	105x80/75	11	500
2260	434h0SK200pZPK	200	50	238	53	135x110	105x80/75	11	500

Industrial Castors

Castor construction: Fixed
Housing material: Zinc plated steel
Tread material: Polyamide 70 ShD, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Ball bearing



2280	433a0SK080pZPG	80	30	111		105x86	82/77x60	9	300
2290	433a0SK100pZPG	100	35	130		105x86	82/77x60	9	400
2300	433a0SK125pZPG	125	35	156		105x86	82/77x60	9	400
2310	433a0SK125pZPK	125	50	165		135x114	105x80/75	11	500
2320	433a0SK160pZPK	160	50	195		135x114	105x80/75	11	500
2330	433a0SK200pZPK	200	50	238		135x114	105x80/75	11	500

Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Tread material: Polyamide 70 ShD, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Ball bearing



												
2350 434a0SK080pZLD	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	80	30	106	40	79	12,3						300
2360 434a0SK100pZLD	100	35	126	40	79	12,3						400
2370 434a0SK125pZLD	125	35	152	43	79	12,3						400

Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Tread material: Polyamide 70 ShD, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Ball bearing



												
2390 434h0SK100pZLD	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	100	35	126	40	79	12,3						400
2400 434h0SK125pZLD	125	35	152	43	79	12,3						400
2410 434h0SK080pZLD	80	30	106	40	79	12,3						300

Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway in hardened cups, kingpin with nut, dustguard
Tread material: Cast Polyamide 80 ShD, Non-marking tread: yes
Wheel centre material: Cast Polyamide, Bearing: Ball bearing



												
2430 444a0UK080psZPH	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	80	40	121	45				105x86	80/77x60	9		700
2440 444a0UK100psZPH	100	40	140	45				105x86	80/77x60	9		700
2450 444a0UK125psZPH	125	40	165	45				105x86	80/77x60	9		700

Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway in hardened cups, kingpin with nut, dustguard
Tread material: Cast Polyamide 80 ShD, Non-marking tread: yes
Wheel centre material: Cast Polyamide, Bearing: Ball bearing



												
2470 444h0UK080psZPH	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	80	40	121	45				105x86	80/77x60	9		700
2480 444h0UK100psZPH	100	40	140	45				105x86	80/77x60	9		700
2490 444h0UK125psZPH	125	40	165	45				105x86	80/77x60	9		700

Industrial Castors

Castor construction: Fixed
Housing material: Zinc plated steel
Tread material: Cast Polyamide 80 ShD, Non-marking tread: yes
Wheel centre material: Cast Polyamide, Bearing: Ball bearing



												
2510 443a0UK080psZPG	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
	80	40	121					105x86	80/77x60	9		700
2520 443a0UK100psZPG	100	40	140					105x86	80/77x60	9		700
2530 443a0UK125psZPG	125	40	165					105x86	80/77x60	9		700

Directional Lock

function: manual pedal control, swivel castor locked in straight direction
material: zinc plated steel
mounting type: mounting plate
mounting: screwing with compatible castor



mm

85



mm

60



mm

9



kg

1 000

2550 [r 434 ZPH](#)

2560 [r 434 ZPK](#)

110

80

11

1 000

Shock Absorbing Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Two thrust ball bearings, sealed
Type of fixing: Top plate
Tread material: Polyurethane 93 ShA, Non-marking tread: yes
Wheel centre material: Lacquered cast iron, Bearing: Ball bearing



											
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
2580 546a24K150vZPS	150	48	200	187	50			158x114	133x86/125x62	14	360

Shock Absorbing Castors

Castor construction: Swivel with wheel brake
Housing material: Zinc plated steel
Swivel head construction: Two thrust ball bearings, sealed
Type of fixing: Top plate
Tread material: Polyurethane 93 ShA, Non-marking tread: yes
Wheel centre material: Lacquered cast iron, Bearing: Ball bearing



											
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
2600 546b24K150vZPS	150	48	200	187	50			158x114	133x86/125x62	14	360

Shock Absorbing Castors

Castor construction: Fixed
Housing material: Zinc plated steel
Type of fixing: Top plate
Tread material: Polyurethane 93 ShA, Non-marking tread: yes
Wheel centre material: Lacquered cast iron, Bearing: Ball bearing



											
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
2620 545a24K150vZPS	150	48	200	187	50			158x114	133x86/125x62	14	360

Levelling Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Top plate
Tread material: Polyamide 70 ShD, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Ball bearing



																																																																																																																																																																																																																																													
--	---	---	---	---	---	---	---	--	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--

Levelling Castors

Castor construction: Swivel
Housing material: Lacquered Aluminium alloy
Swivel head construction: Double ball raceway
Tread material: Polyamide 70 ShD, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Plain



															
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
2700 113t00G050xcPP2	50	25	82	92	36					73x73	58x58	8,5	250		
2710 113t00G063xcPP3	63	28	103	118	46					90x90	70x70	9	500		

Levelling Castors

Castor construction: Swivel
Housing material: Lacquered Aluminium alloy
Swivel head construction: Double ball raceway
Tread material: Polyamide 70 ShD, Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Plain



															
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
2730 113t00G050xcPMD	50	25	82	92	36	46	M12x18								280
2740 113t00G050xcPMF	50	25	82	92	36	46	M16x18								250
2760 113t00G063xcPMF	63	28	103	118	46	65	M16x16								500

Low-profile castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Top plate
Tread material: Polyurethane 93 ShA, Non-marking tread: yes
Wheel centre material: Steel, Bearing: Ball bearing



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg	
2780 338a18K035vZPC	35	27	53	15				60x60	48x48/38x38	6,3	100	
2790 338a18K050vZPF	50	33	73	29				90x66	75x45/61x51	8,5	150	
2800 338a18K060vZPH	60	35	80	33				105x80	80x60	9,2	150	

Low-profile castors

Castor construction: Swivel with wheel brake
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Top plate
Tread material: Polyurethane 93 ShA, Non-marking tread: yes
Wheel centre material: Steel, Bearing: Ball bearing



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg	
2820 338b18K035vZPC	35	27	53	15				60x60	48x48/38x38	6,3	100	
2830 338b18K050vZPF	50	33	73	29				90x66	75x45/61x51	8,5	150	
2840 338b18K060vZPH	60	35	80	33				105x80	80x60	9,2	150	

Low-profile castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Polyurethane 93 ShA, Non-marking tread: yes
Wheel centre material: Steel, Bearing: Ball bearing



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg	
2860 338a18K035vZLC	35	27	50	15	44	10,5					100	
2870 338a18K050vZLD	50	33	70	29	58	13					150	
2880 338a18K060vZLD	60	35	80	33	60	13					150	

Low-profile castors

Castor construction: Swivel with wheel brake
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Polyurethane 93 ShA, Non-marking tread: yes
Wheel centre material: Steel, Bearing: Ball bearing



												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg	
2900 338b18K035vZLC	35	27	50	15	44	10,5					100	
2910 338b18K050vZLD	50	33	70	29	58	13					150	
2920 338b18K060vZLD	60	35	80	33	60	13					150	

Floor Locks Type TLG

construction material: lacquered and zinc plated steel
pad material: solid rubber 80 ShA
non-marking tread: no



mm

100



mm

125



mm

151



mm

10



mm

120x120



mm

100x100/85x85



mm

11

2940 [TLG100](#)

2950 [TLG125](#)

2960 [TLG150](#)

2970 [TLG200](#)

ESD Apparatus Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 95 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polypropylene
ESD version: yes, El. resistance: Ohm



ESD

												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
2990 344a29J050aZLC	50	18	68	24	40	10,5						40
3000 344a29J075aZLC	75	25	98	28	48	10,5						60
3010 344a29J100aZLC	100	25	132	37	54	10,5						70

ESD Apparatus Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 95 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polypropylene
ESD version: yes, El. resistance: Ohm



ESD

												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
3030 344h29J050aZLC	50	18	68	22	40	10,5						40
3040 344h29J075aZLC	75	25	98	32	48	10,5						60
3050 344h29J100aZLC	100	25	132	35	54	10,5						70

ESD Apparatus Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 95 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polypropylene
ESD version: yes, El. resistance: Ohm



ESD

												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
3070 377a29J080aZLD	80	32	113	32	61	12,5						70
3080 377a29J100aZLD	100	32	135	38	61	12,5						80
3090 377a29J125aZLD	125	32	160	41	61	12,5						100

ESD Apparatus Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 95 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polypropylene
ESD version: yes, El. resistance: Ohm



ESD

												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
3110 377h29J080aZLD	80	32	113	38	61	12,5						70
3120 377h29J100aZLD	100	32	135	44	61	12,5						80
3130 377h29J125aZLD	125	32	160	41	61	12,5						100

ESD Apparatus Castors

Castor construction: Swivel
Housing material: Polyamide with fiber-glass
Swivel head construction: Radial ball bearing
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 86 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polypropylene, Color: RAL 9004
ESD version: Yes, El. resistance: 10.000 Ohm



ESD

												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
3150 682a29J075aYLC	75	32	110	36	48	10,2						70
3160 682a29J100aYLC	100	32	141	45	48	10,2						100
3170 682a29J125aYLC	125	32	161	48	48	10,2						100

ESD Apparatus Castors

Castor construction: Swivel with total lock
Housing material: Polyamide with fiber-glass
Swivel head construction: Radial ball bearing
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 86 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polypropylene, Color: RAL 9004
ESD version: Yes, El. resistance: 10.000 Ohm



ESD

												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
3190 682h29J075aYLC	75	32	110	36	48	10,2						70
3200 682h29J100aYLC	100	32	141	45	48	10,2						100
3210 682h29J125aYLC	125	32	161	48	48	10,2						100

ESD Industrial Castors

Castor construction: Swivel
 Housing material: Zinc plated steel
 Swivel head construction: Double ball raceway, dustguard
 Type of fixing: Top plate
 Tread material: Thermoplastic rubber 65 ShA, Non-marking tread: yes
 Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polyamide
 ESD version: Yes, El. resistance: 1.000.000 Ohm



ESD

													
		mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
3230	424a06J080aZPH	80	32	105	40					105x85	82x62/78x58	9	100
3240	424a06J100aZPH	100	32	128	40					105x85	82x62/78x58	9	120
3250	424a06J125aZPH	125	32	156	40					105x85	82x62/78x58	9	150
3260	424a06J160aZPK	160	40	195	51					135x110	110x85/100x75	11	220
3270	424a06J200aZPK	200	40	235	51					135x110	110x85/100x75	11	240

ESD Industrial Castors

Castor construction: Swivel with total lock
 Housing material: Zinc plated steel
 Swivel head construction: Double ball raceway, dustguard
 Type of fixing: Top plate
 Tread material: Thermoplastic rubber 65 ShA, Non-marking tread: yes
 Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polyamide
 ESD version: Yes, El. resistance: 1.000.000 Ohm



ESD

													
		mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
3290	424h06J080aZPH	80	32	105	40					105x85	82x62/78x58	9	100
3300	424h06J100aZPH	100	32	128	40					105x85	82x62/78x58	9	120
3310	424h06J125aZPH	125	32	156	40					105x85	82x62/78x58	9	150
3320	424h06J160aZPK	160	40	195	51					135x110	110x85/100x75	11	220
3330	424h06J200aZPK	200	40	235	51					135x110	110x85/100x75	11	240

ESD Industrial Castors

Castor construction: Fixed
 Housing material: Zinc plated steel
 Type of fixing: Top plate
 Tread material: Thermoplastic rubber 65 ShA, Non-marking tread: yes
 Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polyamide
 ESD version: Yes, El. resistance: 1.000.000 Ohm



ESD

													
		mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
3350	423a06J080aZPG	80	32	105						105x85	82x62/78x58	9	100
3360	423a06J100aZPG	100	32	128						105x85	82x62/78x58	9	120
3370	423a06J125aZPG	125	32	156						105x85	82x62/78x58	9	150
3380	423a06J160aZPK	160	40	195						137x110	110x85/100x75	11	220
3390	423a06J200aZPK	200	40	235						137x110	110x85/100x75	11	240

ESD Industrial Castors

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polyamide
ESD version: Yes, El. resistance: 1.000.000 Ohm



ESD

												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
3410 424a06J080aZLD	80	32	105	40	76	12,3						100
3420 424a06J100aZLD	100	32	128	40	76	12,3						120
3430 424a06J125aZLD	125	32	156	40	76	12,3						150

ESD Industrial Castors

Castor construction: Swivel with total lock
Housing material: Zinc plated steel
Swivel head construction: Double ball raceway
Type of fixing: Single bolt hole
Tread material: Thermoplastic rubber 65 ShA, Non-marking tread: yes
Wheel centre material: Polypropylene, Bearing: Single ball bearing, Threadguards: Polyamide
ESD version: Yes, El. resistance: 1.000.000 Ohm



ESD

												
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
3450 424h06J080aZLD	80	32	105	40	76	12,3						100
3460 424h06J100aZLD	100	32	128	40	76	12,3						120
3470 424h06J125aZLD	125	32	156	40	76	12,3						150

Polyamide Guide Wheels

Tread material: Polyamide 70 ShD, Non-marking tread: yes
Wheel centre material: Polyamide



Vulkollan Guide Wheels

Tread material: Printhopan 59 ShD, Non-marking tread: yes



Vulkollan Guide Wheels

Tread material: Vulkollan 92 ShA, Non-marking tread: yes
Wheel centre material: Steel



Ball Units

Castor construction: Swivel
Housing material: Zinc plated steel
Swivel head construction: Plain bearing
Type of fixing: Threaded stem
Tread material: Solid Rubber 70 ShA, Non-marking tread: no
Wheel centre material: Polyamide, Bearing: Plain



Ball Units

Swivel head construction: Double ball raceway, dustguard



Conveyor Rollers

Tread material: Zinc plated steel , Non-marking tread: yes
Wheel centre material: Zinc plated steel, Bearing: Ball bearing



Flanged Conveyor Rollers

Tread material: Zinc plated steel , Non-marking tread: yes
Wheel centre material: Zinc plated steel, Bearing: Ball bearing



Conveyor Wheels

Tread material: Zinc plated steel , Non-marking tread: yes
Wheel centre material: Zinc plated steel, Bearing: Ball bearing



Flanged Conveyor Wheels

Tread material: Zinc plated steel , Non-marking tread: yes
Wheel centre material: Zinc plated steel, Bearing: Ball bearing



Plastic Conveyor Wheels

Tread material: Polyamide , Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Ball bearing



Plastic Flanged Conveyor Wheels

Tread material: Polyamide , Non-marking tread: yes
Wheel centre material: Polyamide, Bearing: Ball bearing



Omnidirectional Wheels

for rolling and conveyor applications



Round Bumpers

Material: elastomer, Hardness: 95 ShA
Color: RAL 7011
Non-marking: yes



mm
95



mm
18



mm
11



mm
29

3610 49G095 28-7011

Expanding Sockets For Mounting In Tubes

application: for castors with bolt hole fitting
assembly: tightening the screw expands the sleeve inside the tube



Footguards

optional castors accessory
function: protection against crossing the foot
material: galvanized steel

